

Corrigendum 2 to ANNEX II+III: TECHNICAL SPECIFICATIONS + TECHNICAL OFFER

Contract title: FRAMEWORK CONTRACT FOR OFFICE FURNITURE AND HOUSEHOLD EQUIPMENT

Publication reference: EuropeAid/140-354/ID/SUP/UA (EUAM-19-26)

Column 1-2 should be completed by the Contracting Authority

Column 3-4 should be completed by the tenderer

Column 5 is reserved for the evaluation committee

Annex III - the Contractor's technical offer

The tenderers are requested to complete the template on the next pages:

- Column 2 is completed by the Contracting Authority shows the required specifications (not to be modified by the tenderer),
- Column 3 is to be filled in by the tenderer and must detail what is offered (for example the words “compliant” or “yes” are not sufficient)
- Column 4 allows the tenderer to make comments on its proposed supply and to make eventual references to the documentation

Note to tenderers: The eventual documentation supplied should clearly indicate (highlight, mark) the models offered and the options included, if any, so that the evaluators can see the exact configuration. Link to the web site where the description of the proposed model exists is not enough - it is obligatory to insert the detailed description of specification offered in the column 2. Offers that do not permit to identify precisely the models and the specifications may be rejected by the evaluation committee.

The offer must be clear enough to allow the evaluators to make an easy comparison between the requested specifications and the offered specifications.

Please note that product prices quoted in the financial offer shall include all transportation, assembly and installation costs.

All the materials used for this project have to meet EU health and safety regulations and EU standards as ISO 9001.

Please consider that the given measurements are approximate. For the office desks and conference tables (items 1.1-1.3, 2.1-2.6) the deviations are acceptable maximum +/- 30mm for height, however the height of all office desks and conference tables has to be the same through the offer (item 1.1-1.3, 2.1-2.6). For all other approximately mentioned measures the deviations shall be not more than +/- 15% for height, width and depth. For the soft furniture (items 8.1-8.3) the deviations are acceptable maximum +/- 10% mm for all dimensions.

The MDF/CHIPBOARD edges on the furniture have to be all rolled and damp protected. The thickness of the MDF/CHIPBOARD work top of the furniture items shall not be less than 25mm, MDF/CHIPBOARD /chipboards sides of the hard furniture shall not be less than 18mm. All furniture in the offer has to be modern style, color and have the same furniture/mechanism (e.g. handles, legs, hinges, etc.).

The Contractor’s warranty conditions must be in accordance with the conditions laid down in Article 32 of the General Conditions.

The actual installation works on site shall be conducted as per instructions of the Project Manager representing the Contracting Authority.

ADDITIONAL ITEMS. The tenderers may provide/indicate any additional items they want to offer but they shall not be included in this Annex II+III – they shall be offered separately, outside and in addition to this Annex II+III (e.g. by catalogue). These additional items **will not be subject of the evaluation**. The Contracting Authority may order these additional items if deemed necessarily (see also article 1.1.5. of the Framework Contract).

THE TENDERERS MUST PROVIDE THEIR OFFER FOR EACH OF THE BELOW ITEMS, OTHERWISE THE TENDER MAY BE REJECTED.

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
1. Office desks*				
1.1.	<p>Office desk 200</p> <p><u>Dimensions:</u> Approximately - 200 (L) x 100 (W) x 75(H) (cm) Built in 2 x 3 drawers as leg units (lockable)</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Connectivity:</u> ability to fit computer cables under the table-top; cabling duct accessible from the work surface through a proper cable hole.</p>			
1.2.	<p>Office desk 180</p> <p><u>Dimensions:</u> Approximately - 180 (L) x 90 (W) x 75(H) (cm)</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil.</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Legs:</u> Panel type legs with longitudinal reinforcing system. Strong fixing system to desktop.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p><u>Connectivity</u>: ability to fit computer cables under the table-top; cabling duct accessible from the work surface through a proper cable hole.</p>			
<p>1.3.</p>	<p>Office desk 150</p> <p><u>Dimensions</u>: Approximately - 150 (L) x 75 (W) x 75(H) (cm)</p> <p><u>Material</u>: MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil.</p> <p><u>Colors</u>: preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Legs</u>: Panel type legs with longitudinal reinforcing system. Strong fixing system to desktop.</p> <p><u>Connectivity</u>: ability to fit computer cables under the table-top; cabling duct accessible from the work surface through a proper cable hole.</p>			
2. Conference tables*				
<p>2.1.</p>	<p>Conference table 180 rectangular</p> <p><u>Dimensions</u>: approximately - 180 (L) x 90 (W) x 75(H) (cm)</p> <p><u>Material</u>: MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer)</p> <p><u>Colors</u>: preferable - white, beige, cherry, grey,</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p>walnut, black, oak, but other colors are also accepted.</p> <p><u>Legs:</u> Panel type legs with longitudinal reinforcing system. Strong fixing system to desktop.</p>			
2.2.	<p>Conference table 220 (boat shape, elliptic side and straight ends)</p> <p><u>Dimensions:</u> approximately - 220 (L) x 110 (W) x 75(H) (cm)</p> <p><u>Material of the board:</u> MDF/CHIPBOARD (E1 or EO) covered with melamine, high quality foil, or veneer)</p> <p><u>Legs:</u> T or X style metal legs with longitudinal reinforcing system. Strong fixing system to desktop.</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p>			
2.3.	<p>Conference table 350 (rectangle with half circle ends, racetrack shape, curve edges)</p> <p><u>Dimensions:</u> approximately - 350 (L) x 150 (W) x 75(H) (cm)</p> <p><u>Material of the board:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer)</p> <p><u>Legs:</u> T or X style legs with longitudinal reinforcing system. Strong fixing system to desktop.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p><u>Colors</u>: preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Connectivity</u>: ability to fit computer cables under the table-top; cabling duct accessible from the work surface through a proper cable hole.</p>			
2.4.	<p>Conference table 550 (rectangle with half circle ends, racetrack shape, curve edges)</p> <p><u>Dimensions</u>: approximately- 550 (L) x 150 (W) x 75(H) (cm)</p> <p><u>Material of the board</u>: MDF/CHIPBOARD (E1 or EO) covered with melamine, high quality foil, or veneer)</p> <p><u>Legs</u>: T or X style legs with longitudinal reinforcing system. Strong fixing system to desktop.</p> <p><u>Colors</u>: preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Connectivity</u>: ability to fit computer cables under the table-top; cabling duct accessible from the work surface through a proper cable hole.</p>			
2.5.	<p>Conference table 750 (rectangle with half circle ends, racetrack shape, curve edges)</p> <p><u>Dimensions</u>: approximately - 750 (L) x 150 (W) x 75(H) (cm)</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p><u>Material of the board:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer)</p> <p><u>Legs:</u> T or X style legs with longitudinal reinforcing system. Strong fixing system to desktop.</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Connectivity:</u> ability to fit computer cables under the table-top; cabling duct accessible from the work surface through a proper cable hole.</p>			
2.6.	<p>Conference table F foldable</p> <p><u>Dimension:</u> approximately 180 (L) x 90 (W) x 75(H) (cm)</p> <p><u>Material of the board:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer)</p> <p><u>Legs:</u> metal legs on wheels with reinforcing system. Must allow “free-tool” disassembling and assembling.</p> <p><u>Connectivity:</u> ability to fit computer cables under the table-top; cabling duct accessible from the work surface through a proper cable hole.</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p>			
3. Dining and coffee tables				

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
3.1.	<p>Dining table rectangular <u>Dimension:</u> approximately 160 (L) x 80 (W) x 75(H) (cm)</p> <p><u>Material of the board:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer)</p> <p><u>Legs:</u> Metal legs with longitudinal reinforcing system. Strong fixing system to desktop.</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p>			
3.2.	<p>Coffee table 120 rectangular <u>Dimension:</u> approximately 120 (L) x 60 (W) x 45(H) (cm)</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p>			
3.3.	<p>Coffee table 60 square <u>Dimension:</u> approximately 60 (L) x 60 (W) x 45(H) (cm)</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
3.4.	<p>Coffee table Glass glass <u>Dimension:</u> approximately 80 (L) x 80 (W) x 45(H) (cm)</p> <p><u>Material:</u> Durable glass surface with rounded corners.</p> <p><u>Legs:</u> sand painted or chromed metal tubes</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p>			
4. Chairs				
4.1.	<p>Office chair REG regular <u>Fabric:</u> light resistant minimum 5, according to “blue scale”, strength minimum 25000 acc. to Martindale test. Fire resistant according to EN 1021-2 norm.</p> <p><u>Color:</u> preferable - beige, grey, brown, black, but other colors are also accepted.</p> <p><u>Cross base:</u> TUF approved stability, minimum 5 arms.</p> <p><u>Back rest:</u> High back.</p> <p><u>Arm rest:</u> ergonomic, adjustable in height.</p> <p><u>Gas piston:</u> sufficient quality, weight capacity is not less than 120kg.</p> <p><u>Wheels:</u> for hard flooring.</p> <p><u>The seat/backrest:</u> shall be connected with a “flexible system”, enable to adjust the seat position for the user.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
4.2.	<p>Office chair ERG Ergonomic <u>Ergonomic</u>: adjustable height and depth of seat, adjustable height and angle of arm rests, adjustable height and angle of back rest, lumbar support and adjustable head rest.</p> <p><u>Fabric</u>: light resistant minimum 5 according to “blue scale”, strength minimum 25000 acc to Martindale test. Fire resistant according to EN 1021-2 norm.</p> <p><u>Color</u>: preferable - beige, grey, brown, black, but other colors are also accepted.</p> <p><u>Cross base</u>: TUF approved stability, minimum 5 arms.</p> <p><u>Back rest</u>: High back.</p> <p><u>Arm rest</u>: ergonomic, adjustable in height.</p> <p><u>Gas piston</u>: sufficient quality, weight capacity is not less than 120kg.</p> <p><u>Wheels</u>: for hard flooring</p>			
4.3.	<p>Conference chair FLB Fabric, low back</p> <p><u>Surface material: fabric</u>.</p> <ul style="list-style-type: none"> - light resistant minimum 5 according to “blue scale”, strength minimum 25000 acc to Martindale test. - Fire resistant according to EN 1021-2 norm. <p><u>Color</u>: preferable - beige, grey, brown, black, but other colors are also accepted.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p><u>Cross base</u>: TUF approved stability, minimum 5 arms.</p> <p><u>Back rest</u>: Low back.</p> <p><u>Arm rest</u>: ergonomic, adjustable in height.</p> <p><u>Gas piston</u>: sufficient quality, weight capacity is not less than 120kg.</p> <p><u>Wheels</u>: for hard flooring.</p> <p><u>The seat/backrest</u>: shall be connected with a “flexible system”, enable to adjust the seat position for the user.</p>			
4.4.	<p>Banquet chair F fabric Stackable.</p> <p><u>Surface material</u>: fabric.</p> <ul style="list-style-type: none"> - light resistant minimum 5, according to “blue scale”, strength minimum 25000 acc to Martindale test. - Fire resistant according to EN 1021-2 norm. <p><u>Color</u>: preferable - beige, grey, brown, black, but other colors are also accepted.</p> <p><u>Arm rest</u>: No armrest.</p> <p><u>Frame</u>: Chromed steel tube</p>			
4.5.	<p>Visitor chair AL Artificial leather Stackable.</p> <p><u>Surface material</u>: High quality artificial leather.</p> <p><u>Color</u>: preferable - beige, grey, brown, black, but other colors are also accepted.</p> <p><u>Back rest</u>: low back.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p><u>Arm rest</u>: ergonomic.</p> <p><u>Frame</u>: chromed steel tube.</p>			
4.6.	<p>Visitor chair F fabric Stackable. <u>Surface material</u>: fabric.</p> <ul style="list-style-type: none"> - light resistant minimum 5 according to "blue scale", strength minimum 25000 acc to Martindale test. - Fire resistant according to EN 1021-2 norm. <p><u>Color</u>: preferable - beige, grey, brown, black, but other colors are also accepted.</p> <p><u>Back rest</u>: low back. <u>Arm rest</u>: ergonomic. <u>Frame</u>: chromed steel tube.</p>			
4.7.	<p>Dining chair</p> <p><u>Fabric</u>:</p> <ul style="list-style-type: none"> - light resistant minimum 5 according to "blue scale" - Strength minimum 25000 acc to Martindale test - Fire resistant according to E 1021-2 norm. <p><u>Color</u>: preferable - beige, grey, brown, black, but other colors are also accepted.</p> <p><u>Frame</u>: solid wood clear lacquered or chromed steel tube</p>			
5. Drawers and file cabinets				
5.1.	<p>Drawer 3D Drawers three three drawers, lockable, metal/plastic black/silver color handle.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 40 (L) x 40 (W) x 60(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Mechanism:</u> sufficient quality mechanism for drawers, side-mount slides with a slide attaching to each side of the drawer, available with either a ball-bearing or roller mechanism, prevents from full opening and fall.</p> <p><u>Wheels:</u> for hard flooring.</p>			
5.2.	<p>Drawer 2D Drawers two</p> <p>two drawers (1/3 and 2/3 of the height), lockable, metal/plastic black/silver color handle.</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 40 (L) x 40 (W) x 60(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Mechanism:</u> sufficient quality mechanism for drawers, side-mount slides with a slide attaching to each side of the drawer, available</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p>with either a ball-bearing or roller mechanism, prevents from full opening and fall.</p> <p><u>Wheels:</u> for hard flooring</p>			
5.3.	<p>File cabinet one door from left side with one shelf inside, open book shelf on the right side, one shelf, lockable, metal/plastic black/silver color handle.</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 80 (L) x 40 (W) x 60(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring</p>			
5.4.	<p>File cabinet 3D three drawers, equal size, with archive vertical filing system, lockable, metal/plastic black/silver color handle.</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 40 (L) x 60 (W) x 90(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Mechanism:</u> sufficient quality mechanism for</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p>drawers, side-mount slides with a slide attaching to each side of the drawer, available with either a ball-bearing or roller mechanism, prevents from full opening and fall.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring.</p>			
5.5.	<p>File cabinet 4D four drawers, equal size, with archive vertical filing system, lockable, metal/plastic black/silver color handle.</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 40 (L) x 60 (W) x 140(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Mechanism:</u> sufficient quality mechanism for drawers, side-mount slides with a slide attaching to each side of the drawer, available with either a ball-bearing or roller mechanism, prevents from full opening and fall.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring.</p>			
5.6.	<p>File cabinet SB Sideboard</p> <p>three drawers, equal size, from the left side and one door from right side, one shelves inside, 2 files height, lockable, metal/plastic black/silver color handle.</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p>melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 90 (L) x 45 (W) x 80(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Mechanism:</u> sufficient quality mechanism for drawers, side-mount slides with a slide attaching to each side of the drawer, available with either a ball-bearing or roller mechanism, prevents from full opening and fall.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring.</p>			
6. Wardrobes and coat hangers				
6.1.	<p>Wardrobe 100 Coat hanger rail, one top shelf, metal/plastic black/silver handles, lockable.</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 100 (L) x 60 (W) x 200(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring.</p>			
6.2.	<p>Wardrobe 120 Coat hanger rail, one top shelf, metal/plastic black/silver handles, lockable.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 120 (L) x 60 (W) x 200(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring.</p>			
6.3.	<p>Wardrobe 140 Coat hanger rail, one top shelf, metal/plastic black/silver handles, lockable.</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 140 (L) x 60 (W) x 200(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring.</p>			
6.4.	<p>Coat stand</p> <p>Minimum six hooks, holder for umbrellas on the bottom part. Stable.</p> <p><u>Material:</u> steel tubes, strong enough for heavy winter jackets.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p><u>Colors:</u> preferable - grey, black, but other colors are also accepted.</p>			
7. Shelves				
<p>7.1.</p>	<p>Book shelf 80</p> <p>open type, minimum four shelves, five files height</p> <p><u>Max load per shelf:</u> min. 80 kg</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 80 (L) x 40 (W) x 200(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring</p>			
<p>7.2.</p>	<p>Book shelf 100</p> <p>open type, minimum four shelves, five files height</p> <p><u>Max load per shelf:</u> min. 80 kg</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 100 (L) x 40 (W) x 200(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p>accepted.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring</p>			
7.3.	<p>Book shelf 120</p> <p>open type, minimum four shelves, five files height</p> <p><u>Max load per shelf:</u> min. 80 kg</p> <p><u>Material:</u> MDF/CHIPBOARD (E1 or EO, European standard EN 13986) covered with melamine, high quality foil, or veneer.</p> <p><u>Dimension:</u> approximately 120 (L) x 40 (W) x 200(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, cherry, grey, walnut, black, oak, but other colors are also accepted.</p> <p><u>Legs:</u> four metal/plastic legs for hard flooring</p>			
8. Soft furniture*				
8.1.	<p>Arm chair (1 seater)</p> <p>Comfortable upholstered armchair, same style as upholstered sofas 8.2. and 8.3. below</p> <p><u>Fabric:</u> high durable, fire resistant according to E 1021-2 norm;</p> <p><u>Dimension:</u> approximately 110 (L) x 85 (W) x 85(H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, grey, brown, black, but other colors are also accepted.</p>			
8.2.	<p>Sofa (2 seater)</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	<p>Comfortable upholstered sofa, same style as upholstered armchair 8.1. above.</p> <p><u>Fabric:</u> high durable, fire resistant according to E 1021-2 norm;</p> <p><u>Dimension:</u> approximately 170 (L) x 85 (W) x 85 (H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, grey, brown, black, but other colors are also accepted.</p>			
8.3.	<p>Sofa (3 seater)</p> <p>Comfortable upholstered sofa, same style as upholstered armchair 8.1. above.</p> <p><u>Fabric:</u> high durable, fire resistant according to E 1021-2 norm;</p> <p><u>Dimension:</u> approximately 210 (L) x 85 (W) x 85 (H) (cm)</p> <p><u>Colors:</u> preferable - white, beige, grey, brown, black, but other colors are also accepted.</p>			
9. Electrical appliances				
9.1.	<p>Fridge-freezer 90 free-standing, house hold type.</p> <p><u>Dimension:</u> approximately 60 (L) x 60 (W) x 90-120(H) (cm)</p> <p>Electricity consuming: minimum A class</p> <p><u>Colors:</u> preferable - white, silver, black, but other colors are also accepted.</p> <p><u>Legs:</u> four adjustable legs for hard flooring.</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
9.2.	<p>Fridge-freezer 180 free-standing, house hold type.</p> <p><u>Dimension:</u> approximately 60 (L) x 60 (W) x 180-200(H) (cm)</p> <p>Electricity consuming: minimum A class</p> <p><u>Colors:</u> preferable - white, silver, black, but other colors are also accepted.</p> <p><u>Legs:</u> four adjustable legs for hard flooring.</p>			
9.3.	<p>Electrical heater</p> <p>With mechanical type of thermostat, overheating protection, protection against freezing.</p> <p><u>Capacity:</u> 2.0 -3.0 kWatt</p> <p><u>Type of the base</u> –free standing on wheels, option of wall installation.</p> <p><u>Material of the base/frame</u> – metal</p> <p><u>Colors:</u> preferable - white, silver, black, but other colors are also accepted.</p>			
9.4.	<p>Fan</p> <p>Table type, with plastic wings, minimum three speeds.</p> <p><u>Type of the base</u> –free standing, option of wall installation.</p> <p><u>Material of the base/frame</u> – metal/plastic</p> <p><u>Colors:</u> preferable - white, silver, black, but</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	other colors are also accepted.			
9.5.	<p>Humidifier Ultra-sound, cold steam.</p> <p><u>Capacity</u> – 50-70 sq meters</p> <p><u>Type of the base</u> –free standing.</p> <p><u>Material of the base/frame</u> – metal, plastic</p> <p><u>Colors:</u> preferable - white, silver, black, but other colors are also accepted.</p>			
9.6.	<p>Coffee machine</p> <p><u>Type:</u> Table espresso. Suitable for grinded coffee and coffee in beans. Automatic switching off function, option of changing the portion and strongness of the drink.</p> <p><u>Water pump pressure:</u> 15 Bar (+/- 20%)</p> <p><u>Water container:</u> minimum 1.8 l</p> <p><u>Material of the base/frame</u> – metal, plastic</p> <p><u>Colors:</u> preferable - white, silver, black, but other colors are also accepted.</p>			
10. After-sales services and other services				
10.1.	<p>Repair and maintenance services</p> <p>Unit – 1 specialist per 1 hour</p> <p>Repair and maintenance works which are not covered by the warranty (article 32 of General/Special conditions). Maintenance works have to include as a minimum: surface damage repair including scratches, metal furniture repair including lock replacement or</p>			

Item Number	Specifications	Specifications Offered (incl. brand/model)	Notes, remarks, ref to documentation	Evaluation Committee's notes
	repair, painting of the surfaces, shelves reinstallation.			
10.2.	Furniture disassembling, moving, reassembling services Unit – working pair (2 people) per 1 hour Furniture installation and relocation related works to be covered by working pairs within the current location.			
10.3.	Design services Unit – 1 specialist per 1 hour Based on technical details and layouts provided by the Contracting Authority, to provide furnishing plans in 2D and 3D plans and color pictures.			

* Please, consider that the given measurements are approximate. For the office desks and conference tables (items 1.1-1.3, 2.1-2.6) the deviations are acceptable maximum +/- 30mm for height, however the height of all office desks and conference tables has to be the same through the offer (item 1.1-1.3, 2.1-2.6). For all other approximately mentioned measures the deviations shall be not more than +/- 15% for height, width and depth. For the soft furniture (items 8.1-8.3) the deviations are acceptable maximum +/- 10%mm for all dimensions.

The MDF/CHIPBOARD edges on the furniture have to be all rolled and damp protected. The thickness of the MDF/CHIPBOARD work top of the furniture items shall not be less than 25mm, MDF/CHIPBOARD /chipboards sides of the hard furniture shall not be less than 18mm. All furniture in the offer has to be modern style, color and have the same furniture/mechanism (e.g. handles, legs, hinges, etc.).

Warranty:

The warranty remains valid for one year after provisional acceptance.

After-sales service

Maintenance works shall include: surface damage repair including scratches, metal furniture repair including lock replacement or repair, painting of the surfaces, shelves reinstallation/replacement.